Hydraulic attachment tools


Demolition, waste management and earth-moving.

Epiroc



A versatile shape-shifter

The cleverly-angled Bulk Pulverizers efficiently separate rebar from concrete in the secondary reduction stage.




Full hydraulic cylinder protection thanks to the **piston rod guard**.

Faster working cycles thanks to the integrated **speed valve.**

Tooth plate is replaceable for easy maintenance.

Cutting blades are both replaceable and reversible.




Optional 360° endless **hydraulic rotation** allows optimal positioning and precise handing.






BP range		BP 1650	BP 2050	BP 3050	BP 4050
Static version					
Carrier weight class [1]	t	14–23	18–27	25–40	40–55
Service weight [2]	kg	1,770	2,130	3,100	4,550
Product weight	kg	1,600	1,930	2,840	4,100
A	mm	2,100	2,240	2,645	2,980
B	mm	760	875	1,020	1,200
C	mm	550	610	650	800
D	mm	175	190	190	240
X	mm	400	430	590	680
Y	mm	520	550	650	725
Rotating version					
Carrier weight class [1]	t	18–23	22–27	30–40	43–55
Service weight [2]	kg	2,140	2,660	3,850	5,390
Product weight	kg	1,970	2,420	3,500	4,940
A	mm	2,520	2,630	2,990	3,395
B	mm	760	875	1,020	1,200
C	mm	550	610	650	800
D	mm	175	190	190	240
X	mm	400	430	590	680
Y	mm	520	550	650	725
Static and rotating version					
F1	t	210	290	365	310
F2	t	74	90	115	131
Cycle time (opening/closing)	sec	2.0/1.9	2.9/2.5	2.9/2.7	3.1/3.3
Oil flow rate (opening & closing)	l/min	150–250	150–250	250–350	300–400
Max. operating pressure (opening & closing)	bar	350	350	350	350
Oil flow rate (rotation)	l/min	35–50	35–50	35–50	35–50
Max. operating pressure (rotation)	bar	170	170	170	170

[1] Weights apply to standard carriers only. Any variances must be agreed with Epiroc and/or the carrier manufacturer prior to attachment.
[2] Attachment with average-sized adapter plate





Our consumables and wear parts are the right choice when maximum output and low lifecycle cost are in focus of your daily work.

You can find our consumables catalog for hydraulic breakers here.

You can find our consumables catalog for silent deconstruction tools and drum cutters here.

facebook.com/epirocdemolition
facebook.com/epirocgroup
twitter.com/epirocgroup
instagram.com/epiroc.demolition.recycling
linkedin.com/company/epiroc

9864 0063 01 2025-04 Essen, Germany. Legal Notice © Copyright 2025. Epiroc Construction Tools GmbH, Essen, Germany. All product names in this publication are trademarks of Epiroc. Any unauthorized use or copying of the contents or any part thereof is prohibited. Illustrations and photos may show equipment with optional extras. No warranty is made regarding specifications or otherwise. Specifications and equipment are subject to change without notice. Consult your Epiroc Customer Center for specific information.

United in performance. Inspired by innovation.

Performance unites us, innovation inspires us, and commitment drives us to keep moving forward. Count on Epiroc to deliver the solutions you need to succeed today and the technology to lead tomorrow.
epiroc.com

Epiroc