



# Casings

Middle Pipe Steel N 80  
Tools joints Steel 42 Cr Mo 4 (nitrided)





# Casings

O.D. mm	Effective Length mm	Thickness mm	I.D. Ø mm	Weight Kg
101,6	1000	8.8	82	20,0
101,6	1500	8.8	82	30,0
101,6	2000	8.8	82	40,0
101,6	3000	8.8	82	60,0
101,6	4500	8.8	82	90,2
101,6	6000	8.8	82	120,3
114,3	1000	8.8	94	24,0
114,3	1500	8.8	94	35,0
114,3	2000	8.8	94	48,0
114,3	3000	8.8	94	69,0
114,3	4500	8.8	94	103,2
114,3	6000	8.8	94	137,4
127	1000	8.8	107	26,0
127	1500	8.8	107	39,0
127	2000	8.8	107	52,0
127	3000	8.8	107	77,0
127	4500	8.8	107	115,3
127	6000	8.8	107	153,5
133	1000	8.8	113	28,0
133	1500	8.8	113	41,0
133	2000	8.8	113	56,0
133	3000	8.8	113	84,0
133	4500	8.8	113	124,4
133	6000	8.8	113	164,7
139,7	1000	8.8	120	30,0
139,7	1500	8.8	120	44,0
139,7	2000	8.8	120	60,0
139,7	3000	8.8	120	86,0
139,7	4500	8.8	120	128,5
139,7	6000	8.8	120	171,0
152,4	1000	8.8	133	31,5
152,4	1500	8.8	133	47,0
152,4	2000	8.8	133	63,0
152,4	3000	8.8	133	94,0
152,4	4500	8.8	133	140,5
152,4	6000	8.8	133	187,0



# Casings

O.D. mm	Effective Length mm	Thickness mm	I.D. Ø mm	Weight Kg
168.3	1000	8.8	147	36.0
168.3	1500	8.8	147	53.0
168.3	2000	8.8	147	72.0
168.3	3000	8.8	147	105.0
168.3	4500	8.8	147	156.8
168.3	6000	8.8	147	208.5
177.8	1000	8.8	158	38.0
177.8	1500	8.8	158	56.0
177.8	2000	8.8	158	76.0
177.8	3000	8.8	158	110.0
177.8	4500	8.8	158	164.8
177.8	6000	8.8	158	219.5
193.7	1000	8.8	172	41.0
193.7	1500	8.8	172	61.0
193.7	2000	8.8	172	82.0
193.7	3000	8.8	172	121.0
193.7	4500	8.8	172	181.0
193.7	6000	8.8	172	241.0
203	1000	8.8	178	44.0
203	1500	8.8	178	65.0
203	2000	8.8	178	88.0
203	3000	8.8	178	128.0
203	4500	8.8	178	192.0
203	6000	8.8	178	256.0
219.1	1000	8.8	197	47.0
219.1	1500	8.8	197	70.0
219.1	2000	8.8	197	94.0
219.1	3000	8.8	197	138.0
219.1	4500	8.8	197	206.0
219.1	6000	8.8	197	274.2
244.5	1000	10.0	222	58.0
244.5	1500	10.0	222	67.0
244.5	2000	10.0	222	116.0
244.5	3000	10.0	222	174.0
244.5	4500	10.0	222	260.7
244.5	6000	10.0	222	347.4



# Casings

O.D. mm	Effective Length mm	Thickness mm	I.D. Ø mm	Weight Kg
273	1000	10.0	248	65.0
273	1500	10.0	248	97.0
273	2000	10.0	248	130.0
273	3000	10.0	248	195.0
273	4500	10.0	248	292.2
273	6000	10.0	248	389.4
298.5	1000	10.0	275	73.0
298.5	1500	10.0	275	109.0
298.5	2000	10.0	275	146.0
298.5	3000	10.0	275	216.0
298.5	4500	10.0	275	322.7
298.5	6000	10.0	275	429.3
323.9	1000	12.5	298	100.0
323.9	1500	12.5	298	150.0
323.9	2000	12.5	298	200.0
323.9	3000	12.5	298	300.0
323.9	4500	12.5	298	450.0
323.9	6000	12.5	298	600.0
355.6	1000	12.5	329	115.0
355.6	1500	12.5	329	172.5
355.6	2000	12.5	329	230.0
355.6	3000	12.5	329	287.5
406.4	1000	12.5	380	130.0
406.4	1500	12.5	380	195.0
406.4	2000	12.5	380	260.0
406.4	3000	12.5	380	390.0
457,2	1000	12,5	430	148,0
457,2	1500	12,5	430	217,0
457,2	2000	12,5	430	287,0
457,2	3000	12,5	430	427,0
508	1000	12,5	480	163,0
508	1500	12,5	480	240,0
508	2000	12,5	480	320,0
508	3000	12,5	480	472,0

Middle pipe N 80  
Tools joints 42 Cr Mo 4 (nitrided)